1M Flyaway Antenna

1) 0.55/0.75/1.0/1.2/1.8m

2) Material is mainly carbon fiber.

3) Depoly and stow easily

4) Weight is 15.5kg

Features

1, Carbon fiber antenna reflector has a light weight, high precision and high efficiency, corrosion resistance and other characteristics, it ensured the antenna in Normal operation with harsh environments in maximum extent.

2, Lightweight, easy to carry, rapid deployment, high performance, a man can be installed within 5 minutes, available airline baggage.

3, The latest design of the Ku-band satellite antenna, being compact and robust, cost-effective, can be used for fast and reliable satellite communications.

4, Specifically designed to be used for on-site, regardless of when and where, it can fast transfer high-quality broadband content.

| Flyaway Antenna | | 1M Flyaway Antenna | |
|--|----|-------------------------------------|----------------|
| VSWR | Тх | | 1.25:1 |
| | Rx | | 1.25:1 |
| 3dB beamwidth | Тх | | 1.4° |
| | Rx | | 1.6° |
| Polarization | | Linear | |
| Operation frequency | Тх | | 14-14.5GHz |
| | Rx | | 12.25–12.75GHz |
| Cross-polarization | Тх | | >30dB |
| | Rx | | >30dB |
| Gain | Тх | | >41.0 dBi |
| | Rx | | >39.0 dBi |
| Feed Interface | | WR75 | |
| Tx/Rx Isolation | | Rx > 40dB $Tx > 85dB$ | |
| sidelobe(1° $\leq \theta < 20^{\circ}$) | | first sidelobe <-20 dB | |
| Power capacity | | 100W | |
| Elevation | | 10°90° | |
| Azimuth | | $\pm45^\circ$ (Vernier adjustment) | |
| Weight | | 15.5 Kg | |
| Case size | | 686*446*336mm | |
| Polarization | | $\pm 90^{\circ}$ | |
| Antenna Type | | Offset antenna | |
| Main reflector material | | Carbon Fiber | |
| Wind load operational | | 20m/s | |
| Temperature operational | | – 30° C––55° C | |

http://www.antesky.com